L Number	Hits	Search Text	DB	Time stamp
2	814	(measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:35
		near5 (sensor and surface))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
1	1	confocal near imag\$3 and (measur\$3 or detect\$3) near6	USPAT;	2004/05/05 15:35
`		(distance near between) near5 (sensor and surface)	US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
4	0	focusl and ((measur\$3 or detect\$3) near6 ((distance near	USPAT;	2004/05/05 15:36
		between) near5 (sensor and surface)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	_		IBM_TDB	
3	6	confocal and ((measur\$3 or detect\$3) near6 ((distance near	USPAT;	2004/05/05 15:38
		between) near5 (sensor and surface)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	1288	confocal near imag\$3	USPAT;	2004/05/05 15:39
			US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
_		.,	IBM_TDB	
7	1	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:39
		near5 (sensor and surface))) and (confocal near imag\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/05 45.40
8	1	confocal near4 imag\$3 and ((measur\$3 or detect\$3) near6	USPAT;	2004/05/05 15:40
1		((distance near between) near5 (sensor and surface)))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
9	0	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:40
	ŭ	near5 (sensor and surface))) and plurality near1 (point near	US-PGPUB;	200 1/05/05 15.10
1		light near sources)	EPO; JPO;	
		, ing. in production of the control	DERWENT;	
			IBM_TDB	
10	0	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:41
[•	near5 (sensor and surface))) and plurality near1 (point	US-PGPUB;	
		near2 detectors)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
11	59	plurality near1 (point near2 detectors)	USPAT;	2004/05/05 15:41
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	59	plurality near1 (point near2 detectors)	USPAT;	2004/05/05 15:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
13	50	/ about the annual factor annual detects and the second second annual second se	IBM_TDB	2004/05/25 45 35
13	59	(plurality near1 (point near2 detectors)) and (plurality	USPAT;	2004/05/05 15:42
		near1 (point near2 detectors))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	L,

14	0	((plurality near1 (point near2 detectors)) and (plurality near1 (point near2 detectors))) and (confocal near imag\$3)	USPAT; US-PGPUB;	2004/05/05 15:42
		The same of the same and the same of the same same and sa	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	96	focus and ((measur\$3 or detect\$3) near6 ((distance near	USPAT;	2004/05/05 15:49
:		between) near5 (sensor and surface)))	US-PGPUB;	, , ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	52	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:49
		near5 (sensor and surface))) and 250/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
17	9	//management and data state) manufit (/distance as a second state)	IBM_TDB	2004/05/05 45 45
17	9	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:49
		near5 (sensor and surface))) and 359/\$.ccls.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
15	70	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:54
		near5 (sensor and surface))) and 356/\$.ccls.	US-PGPUB;	2001/05/05 15:01
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
18	275	((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:54
		near5 (sensor and surface))) and distance near sensor	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
40		(// 10 11 110)	IBM_TDB	
19	4	(((measur\$3 or detect\$3) near6 ((distance near between)	USPAT;	2004/05/05 15:56
		near5 (sensor and surface))) and distance near sensor) and	US-PGPUB;	
		optical near imag\$3	EPO; JPO;	
			DERWENT;	
20	9	(((measur\$3 or detect\$3) near6 ((distance near between)	IBM_TDB USPAT;	2004/05/05 15:56
20		near5 (sensor and surface))) and distance near sensor) and	USPAT; US-PGPUB;	2004/05/05 15:56
		splitter	EPO; JPO;	
		opinition .	DERWENT;	
			IBM_TDB	
			: - : - : - :	

L Number	Hits	Search Text	DB	Time stamp
1	17	confocal near beam near path	USPAT;	2004/05/05 19:10
		•	US-PGPUB;	, ,
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
2	1	confocal near beam and distance near sensor	USPAT;	2004/05/05 19:10
	_		US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
3	4	confocal near beam and sensor near15 distances	USPAT;	2004/05/05 19:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	14	confocal near beam and differen\$2 near3 distances	USPAT;	2004/05/05 19:11
		'	US-PGPUB;	•
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	75	optical near image\$3 and focus\$3 near6 (different near	USPAT;	2004/05/05 19:11
		distances)	US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	11	(optical near image\$3 and focus\$3 near6 (different near	USPAT;	2004/05/05 19:12
		distances)) and chromatic near aberration	US-PGPUB;	
		"	EPO; JPO;	
			DERWENT;	,
			IBM_TDB	
7	22	(optical near image\$3 and focus\$3 near6 (different near	USPAT;	2004/05/05 19:12
		distances)) and aberration	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	13728	(displacement or diisplacement) near sensor	USPAT;	2004/05/05 19:13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	5		USPAT;	2004/05/05 19:13
		((displacement or diisplacement) near sensor	US-PGPUB;	
) and confocal near imag\$3	EPO; JPO;	
		·	DERWENT;	
10	30	//diamlacomonh on diahongo) near source and soufces! \ == d	IBM_TDB	2004/05/05 40:44
10	39	((displacement or distance) near sensor and confocal) and	USPAT;	2004/05/05 19:14
		distance near between	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
11	01703	(//displacement or distance) pear senser and confect! \ and	IBM_TDB USPAT;	2004/05/05 10:14
11	91783	(((displacement or distance) near sensor and confocal) and (distance near between) and beam splitter	USPAT; US-PGPUB;	2004/05/05 19:14
		(distance fiear between)) and beam splitter	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	12	(((displacement or distance) near sensor and confocal) and	USPAT;	2004/05/05 19:15
**	12	((distance near between)) and beam near splitter	US-PGPUB;	200 17 00/00 10.10
		(allowing from betheen) / and beam fred spitter	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L	l	L	101 1_1 00	

14	4	(anton near schick) and confocal near2 sensor	USPAT;	2004/05/05 19:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	26	anton near schick	USPAT;	2004/05/05 19:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	8	"5543918"	USPAT;	2004/05/05 19:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	62	distance near sensor and optical near imag\$3 and differen\$2	USPAT;	2004/05/05 10:57
		near3 distances	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	5	confocal near imag\$3 and distance near sensor	USPAT;	2004/05/05 10:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4-		IBM_TDB	
3	17	(distance near sensor and optical near imag\$3 and	USPAT;	2004/05/05 10:59
		differen\$2 near3 distances) and beam near splitter	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	204	distance near sense and managed?	IBM_TDB	2004/05/05 40.50
4	294	distance near sensor and measur\$3 near9 (differen\$2 near3	USPAT;	2004/05/05 10:59
		distances)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT; IBM_TDB	
5	16	(distance near sensor and measur\$3 near9 (differen\$2 near3	USPAT;	2004/05/05 11:03
ا	10	distances)) and beam near splitter	US-PGPUB;	2004/05/05 11.05
		distances)) and beam near spilitter	EPO; JPO;	
			DERWENT;	
·			IBM_TDB	
6	2	(distance near sensor and measur\$3 near9 (differen\$2 near3	USPAT;	2004/05/05 11:06
	•	distances)) and splitter and objective near lens	US-PGPUB;	200 1/03/03 11:00
		and an easy y and opinion and objective from forth	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	0	(distance near sensor and measur\$3 near9 (differen\$2 near3	USPAT;	2004/05/05 11:07
		distances)) and white near light near source	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	0	(distance near sensor and measur\$3 near9 (differen\$2 near3	USPAT;	2004/05/05 11:07
		distances)) and white near1 source	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10	2	ark and the same of A state of the same of	IBM_TDB	
10	2	plurality near1 (point near light near source) and distance	USPAT;	2004/05/05 11:08
		near measur\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	2	plurality pears (point pear light pear course) and distance	IBM_TDB	2004/05/05 11:12
ا	2	plurality near1 (point near light near source) and distance near sensor	USPAT;	2004/05/05 11:13
		TICAL SCIENT	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	1		USPAT	2004/05/05 11:11
12	1		USPAT	2004/05/05 11:11
13	1		USPAT	2004/05/05 11:11
14	594	confocal near imag\$3 and distance	USPAT;	2004/05/05 11:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

15	30	confocal near imag\$3 and distance near2 (sensor or	USPAT;	2004/05/05 11:23
		detector)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	15	confocal near imag\$3 and measur\$3 near15 distance and	USPAT;	2004/05/05 11:24
		focus near2 plane	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	}

L Number	Hits	Search Text	DB	Time stamp
1	17	confocal near beam near path	USPAT;	2004/05/05 16:19
			US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
2	1	confocal near beam and distance near sensor	USPAT;	2004/05/05 16:20
			US-PGPUB;	
			EPO; JPO;	
	i i		DERWENT;	
			IBM_TDB	
3	4	confocal near beam and sensor near15 distances	USPAT;	2004/05/05 16:22
	1		US-PGPUB;	
	7	1	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	14	confocal near beam and differen\$2 near3 distances	USPAT;	2004/05/05 16:25
	1		US-PGPUB;	
]			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
5	75	optical near image\$3 and focus\$3 near6 (different near	USPAT;	2004/05/05 16:26
	1	distances)	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
6	11	(optical near image\$3 and focus\$3 near6 (different near	USPAT;	2004/05/05 16:28
	1	distances)) and chromatic near aberration	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
_	1		IBM_TDB	
7	22	(optical near image\$3 and focus\$3 near6 (different near	USPAT;	2004/05/05 16:28
	1	distances)) and aberration	US-PGPUB;	
	1		EPO; JPO;	
	1 1		DERWENT;	
	1		IBM_TDB	1